Amendments to the Claims:

This listing of claims will replace all prior versions, and listings of claims in the application:

Listing of Claims:


 (Currently Amended) A compound including resolved enantiomers, diasteriomers diastercomers, solvates and pharmaceutical acceptable salts thereof, said compound having the formula:

wherein if R_1 is hydrogen or --OH then R_2 is AX, and if R_2 is hydrogen or --OH then R_1 is AX, and A may be absent or A may be any alkyl or aryl group where X is hydrogen, a phosphate group, a phosphonic acid derivative group, an alcohol group, a carboxylic acid group, an ether group, an ester group, a nitrile group, a sulfone group, a sulfide group, an amino acid derivative group, an amine group, and amide group, an aldehyde group, or an aromatic group.

- (Original) The compound of claim 1, wherein said alcohol group is represented by --R³OH, wherein R³ is a straight chained or branched alkyl group having 1 to 5 carbon atoms.
- (Original) The compound of claim 1, wherein said carboxylic acid group comprises -R⁴COOH wherein R⁴ is at least one saturated or unsaturated alkyl group, an aryl group an ester group, an ether group or a combination thereof.


- (Original) The compound of claim 3, wherein R⁴ is an ester group represented by
 -R⁵COO--, wherein R⁵ is bonded to the carboxylic acid group and has 0 to 5 carbon atoms.
- (Original) The compound of claim 3, wherein R⁴ is an ether group represented by R⁶--O--R⁷ wherein R⁶ and R⁷ are, independently, an alkyl or allyl group having 0 to 5 carbon atoms.
- (Original) The compound of claim 1, wherein said aromatic group comprises Ar--(R⁸)_m, wherein Ar represents a benzene ring, and m is 1 or 2.
- (Original) The compound of claim 6, wherein R8 is --CH=CH₂, or --COOH.
- 8. (Original) The compound of claim 1, wherein the ester group is represented by -CR⁹, where R⁹ is an ester of nicotinic acid, an ester of isonicotinic acid, or the ester group is represented by --CO(C=O)R^{9a}, where R^{9a} is Ph(CY₃)₀, where o is 1 or 2, and Y may be, independently, H, F, Cl, Br, or I, or where R^{9a} is a substituted heterocyclohexane compound.
- (Original) The compound of claim 1, wherein the phosphonic acid derivative group is represented by --CO--P(R¹⁰)(O)OH, where R¹⁰ is an alkyl group having 0 to 5 carbon atoms
- (Original) The compound of claim 1, wherein the phosphate group is -COP(O)(OR¹¹)₂, where R¹¹ is an alkyl group having 0 to 5 carbon atoms, or a
 phenyl group.
- (Original) The compound of claim 1, wherein the nitrile group is R¹²CN, where R¹² is an alkyl group having 0 to 5 carbon atoms.
- (Original) The compound of claim 1, wherein the sulfone group is --CS(=O)₂R¹³, wherein R¹³ is --N(CH₃)₂, --OR¹⁴, or --Ph--COOR¹⁴, where R¹⁴ is H, CH₃, or --CH(CH₃)₂.
- (Original) The compound of claim 1, wherein the sulfide group is -CSR¹⁵, where R¹⁵ is pyridine or --Ph--COOR¹⁶, where R¹⁶ is H or CH₃.

- 14. (Original) The compound of claim 1, wherein the amino acid derivative group is --COC(=O)CHR²¹N(R¹⁷)₂, where each R¹⁷ group is, independently, H or CH₃ and R²¹ is hydrogen or any other substituent.
- (Original) The compound of claim 1, wherein the amine group is --CN(R¹⁸)₂, where each R¹⁸ group is, independently, H, an alkyl group, or a phenyl group.
- (Original) The compound of claim 1, wherein the ether group is --C--O--CR¹⁹, where R¹⁹ is a substituted pyridine.
- (Original) The compound of claim 1, wherein the amide group is (C=O)N(R²⁰)₂, or --CH₂(C=O)N(R²⁰)₂ where each R²⁰ is, independently, H or CH₂CH₂N(CH₃)₂.
- 18. (Currently Amended) A compound including resolved enantiomers, diasteriomers diastereomers, solvates and pharmaceutical acceptable salts thereof, said compound having the formula:



where D forms a heterocyclic ring having 3 to 5 atoms.

- (Original) The compound of claim 18, wherein the heterocyclic ring is a 3membered ring and one of the atoms in the ring is oxygen.
- (Original) The compound of claim 18, wherein the heterocyclic ring is a 5membered ring and two of the atoms in the ring are oxygen.
- (Original) The compound of claim 20, wherein the heterocyclic ring is substituted with an oxygen atom.
- (Original) The compound of claim 21, wherein another atom in the 5-membered ring is a sulfur or a phosporous atom.
- (Original) The compound of claim 22, wherein the 5-membered ring is substituted with 1 or 2 oxygen atoms bonded to the sulfur atom.
- 24. (Currently Amended) A compound including resolved enantiomers, diasteriomers diastereomers, solvates and pharmaceutical acceptable salts thereof, said compound having the formula:



where E is H, O, NR, CH₂ or S wherein R may be hydrogen, alkyl, aryl or any other substituent.

25. (Original) The compound of claim 1 wherein if R_1 is H or --OH then R_2 is

OH and if
$$R_2$$
 is OH or H then R_1 is OH.

26. (Original) The compound of claim 1, wherein if R is H or --OH then

R2 is

27. (Original) The compound of claim 1, wherein if R₁ is H or --OH then R₂ is

wherein R is hydrogen or a methyl group when n is 0 or 2.

- 28. (Original) The compound of claim 1, wherein if R₁ is H or --OH then R₂ is

 R—\$ and if R₂ is --OH or H then R₁ is

 CH₂=CH or COOH.
- 29. (Original) The compound of claim 1, wherein if R₁ is H or --OH then R₂ is and if R₂ is -OH or H then R₁ is
- 30. (Original) The compound of claim 1, wherein if R₁ is H or --OH then R₂ is

31. (Original) The compound of claim 1, wherein if R₁ is H or --OH then R2 is

and if
$$R_2$$
 is --OH or H then R_1 is

32. (Original) The compound of claim 1, wherein if R1 is H or --OH then R2 is

$$\bigcap_{N \in \mathcal{O}} \mathbb{C} \text{ and if } R_2 \text{ is } -OH \text{ or } H \text{ then } R_1 \text{ is}$$

33. (Original) The compound of claim 1, wherein if R1 is H or --OH then R2 is

No and if
$$R_2$$
 is --OH or H then R_1 is

34. (Original) The compound of claim 1, wherein if R1 is H or --OH then R2 is

35. (Original) The compound of claim 1, wherein if R1 is H or --OH then R2 is

- 36. (Original) The compound of claim 1, wherein if R₁ is H then R₂ is --OH.
- 37. (Original) The compound of claim 1, wherein if R1 is H or --OH then R2 is

$$\bigcap_{N \in \mathcal{O}} \bigcap_{\text{and if } R_2 \text{ is --OH or H then } R_1 \text{ is}} \bigcap_{N \in \mathcal{O}} \bigcap_$$

- (Original) The compound of claim 1, wherein if R₁ is H then R₂ is carboxylic acid.
- 39. (Original) The compound of claim 1, wherein if R1 is H or --OH then R2 is

and if
$$R_2$$
 is --OH or H then R_1 is HO .

40. (Original) The compound of claim 1, wherein if R_1 is H or --OH then R_2 is

41. (Original) The compound of claim 1, wherein if R₁ is H or --OH then R₂ is

and if
$$R_2$$
 is $-OH$ or H then R_1 is

42. (Original) The compound of claim 1, wherein if R1 is H or --OH then R2 is

43. (Original) The compound of claim 1 wherein if R1 is H or --OH then R2 is

$$\bigcap_{0}^{\mathbb{N}^{\oplus}} \bigcap_{0}^{\mathbb{N}^{\oplus}} \bigcap_{0$$

44. (Original) The compound of claim 1, wherein is R₁ is H or -OH then R₂ is

45. (Original) The compound of claim 1, wherein if R1 is H or --OH then R2 is

OMe OMe and if
$$R_2$$
 is --OH or H then R_1 is OMe OMe .

46. (Original) The compound of claim 1, wherein if R₁ is H or --OH then R₂ is

$$CF_3$$
 and if R_2 is --OH or H then R_1 is CF_3 .

47. (Original) The compound of claim 1, wherein if R₁ is H or --OH then R₂ is

$$CF_3$$
 and if R_2 is --OH or H then R_1 is CF_3

48. (Original) The compound of claim 1, wherein if R₁ is H or -OH then R₂ is

and if
$$R_2$$
 is -OH or H then R_1 is

49. (Original) The compound of claim 1, wherein is R₁ is H or --OH then R₂ is

50. (Original) The compound of claim 1, wherein if R₁ is H or --OH then R₂ is

OR and if
$$R_2$$
 is $-OH$ or H then R_1 is

- 51. (Original) The compound of claim 50 wherein R is a methyl or ethyl group.
- 52. (Original) The compound of claim 1, wherein if R₁ is H or --OH then R₂ is

- 53. (Original) The compound of claim 52 wherein R is a methy group.
- 54. (Original) The compound of claim 52 wherein R is an iso-propyl group.
- 55. (Original) The compound of claim 1, wherein if R₁ is H or --OH then R₂ is

56. (Original) The compound of claim 1, wherein if R₁ is H or --OH then R₂ is

$$S$$
 and if R_2 is $-OH$ or H then R_1 is

57. (Original) The compound of claim 1, wherein if R₁ is H or --OH then R₂ is

and if R2 is --OH or H then R1 is CN.

58. (Original) The compound of claim 1, wherein if R_1 is H or --OH then R_2 is where R_2 is the second of the second R_2 is the second of the seco

59. (Original) The compound of claim 1, wherein if R_1 is H or --OH then R_2 is

and if R2 is --OH or H then R1 is

60. (Original) The compound of claim 1, wherein if R₁ is H or --OH then R₂ is

61. (Original) The compound of claim 1, wherein if R_1 is H or --OH then R_2 is

and if
$$R_2$$
 is --OH or H then R_1 is

62. (Original) The compound of claim 1, wherein if R1 is H or --OH then R2 is

63. (Original) The compound of claim 1, wherein if R₁ is H or --OH then R₂ is

and if
$$R_2$$
 is --OH or H then R_1 is

64. (Original) The compound of claim 1, wherein if R1 is H or --OH then R2 is

NH₂ and if
$$R_2$$
 is -OH or H then R_1 is NH₂

65. (Original) The compound of claim 1, wherein if R1 is H or --OH then R2 is

$$\bigcap_{R} \bigcap_{R'} \bigcap$$

- 66. (Original) The compound of claim 66 wherein each R' and R independently can be any amino acid of all possible stereochemistries and with any degree and choice of protecting group.
- 67. (Original) The compound of claim 1, wherein if R_1 is H or --OH then R_2 is

(Original) The compound of claim 1, wherein if R1 is H or --OH then R2 is 68.

(Original) The compound of claim 1, wherein if R1 is H or --OH then R2 is 69.

(Original) The compound of claim 1, wherein if R1 is H or --OH then R2 is 70.

$$O$$
 NH_2 and if R_2 is --OH or H then R_1 is NH_2 .

71. (Original) The compound of claim 1, wherein if R1 is H or --OH then R2 is

OH and if
$$R_2$$
 is --OH or H then R_1 is OH.

(Original) The compound of claim 1, wherein if R1 is H or --OH then R2 is 72.

73.

(Original) The compound of claim 1, wherein if
$$R_1$$
 is H or --OH then R_2 is $\stackrel{?}{\sim}$ NH and if R_2 is --OH or H then R_1 is $\stackrel{?}{\sim}$ NH₂.

(Original) The compound of claim 1, wherein if R_1 is H or --OH then R_2 is 74.

NRR' and if
$$R_2$$
 is --OH or H then R_1 is NRR'.

- (Original) The compound of claim 74, wherein R and R' are independently of each other hydrogen, alkyl, aryl, or allyl.
- 76. (Original) The compound of claim 19 wherein said heterocyclic ring is
- 77. (Original) The compound of claim 21 wherein said heterocyclic ring is
- 78. (Original) The compound of claim 22 wherein said heterocyclic ring is
- 79. (Original) The compound of claim 21 wherein said heterocyclic ring is Me
- 80. (Original) The compound of claim 22 wherein said heterocyclic ring is
- (Currently Amended) A compound including resolved enantiomers, diasteriomers diastereomers, solvates and pharmaceutical acceptable salts thereof, said compound having the formula:

- 82. (Canceled).
- 83. (Currently Amended) A compound including resolved enantiomers, diasteriomers diastereomers, solvates and pharmaceutical acceptable salts thereof, said compound having the formula:

- 84. (Original) A method of treating cancer, which comprises administering to a patient suffering from said cancer the compound of claim 1.
- 85. (Original) A method according to claim 84 wherein said cancer is selected from the group of cancers consisting of leukemia, non-small cell lung cancer, colon cancer, central nervous system cancer, melanoma cancer, ovarian cancer, renal cancer, prostate cancer, and breast cancer.
- 86. (Original) A method for treating malaria comprising administering an effective amount of the compound of claim 1.